

The doloma nozzles in the present study appear to have eroded at an average rate of ~1mm/hour and liquefied over 4ppm of alumina, which likely corresponds to clogging protection from ~40ppm total alumina inclusions in the flowing steel. The model predictions are roughly consistent with the measurements, considering the many crude assumptions. With much further work, this promising model could become a useful tool.

Acknowledgments

The authors wish to thank the Continuous Casting Consortium for support of this research, and Roy Maske for initial work on the project. Special thanks are extended to Rob Nunnington and Don Griffon for providing data and valuable discussions to help this work.

References

- [1] K.G. Rackers and B.G. Thomas: "Clogging in Continuous Casting Nozzles," in *Steelmaking Conf. Proc.*, vol. 78, (Nashville, TN, April 2-5, 1995), Nashville, TN, 1995, pp. 723-734.
- [2] G. T. Moulden and R. Sabol: "Development of Doloma Tundish Nozzles to Reduce Alumina Clogging," in *Steelmaking Conf. Proc.*, vol. 83, Pittsburgh, PA, 2000, pp. 161-166.
- [3] Koji Ogata, Katsumi Morikawa, Arito Mizobe, Jiro Amano and Keisuke Asano: "Refractory Technology for Improvement of Steel Quality and Productivity," *Proc. AISTech Conference*, Charlotte, NC, May 9-11, 2005, 2005, vol. 1, pp. 175-184.
- [4] D. Griffin and R. Nunnington: LWB Refractories, York, PA, private communication, 2007.
- [5] Roy Maske, Preliminary Calculations for the Diffusion Couple of Calcia (CaO) and Alumina (Al₂O₃) Related to Nozzle Clogging in the Continuous Casting of Steel, ME550 Report, 2005, University of Illinois at Urbana-Champaign, May 12, 2005.
- [6] Oluwaseun A. Araromi, Independent project on the prediction of Calcia (CaO) Alumina (Al₂O₃) - Attachment and removal in nozzles for the continuous casting of Steel to minimize clogging, 2005, ME497 Report, University of Illinois, Urbana, Illinois, May 10, 2005.
- [7] Oluwaseun A. Araromi, Modeling of Clogging / Erosion of Nozzle Refractories, 2007, Continuous Casting Consortium Annual Report, B. G. Thomas, ed., University of Illinois, Urbana, Illinois, June 12, 2007.
- [8] D. Griffin and R. Nunnington, Calcia / Alumina Diffusion Project - SEN Samples after Use, 2007, LWB Refractories, York, PA, April 17, 2007.